



Limitless Lighting Controls

A Full Spectrum of Residential
Lighting Controls from
Standard to **Smart**

#LegrandImprovingLives

 **legrand**[®]

The right lighting controls will transform a home, improving how it functions, feels and looks...

Creating ambiance and adjusting light levels to fit any mood with dimming control.



Reducing energy waste by as much as 70% with sensors and timers that turn lights off automatically.



Adding comfort, safety and convenience with design-inspired smart devices that provide control from anywhere.



FEATURED SOLUTIONS

LED/CFL Dimmers	3
0-10V LED/Fluorescent Dimmers	4
Tru-Universal Dimmers	5
Smart Dimmers	6
Sensors and Timers	8
Fan Speed Controls	9

ALL LIGHTING CONTROL SOLUTIONS

Standard	10
Designer	12
Smart	14

Choosing the Right Lighting Control




Single-Pole One Location

Dim the lights from one location using a single dimmer switch.



3-Way Two Locations

Control the lights from two locations – one 3-way dimmer switch and one 3-way light switch.



Multi-Location Three or More Locations

Control the lights from three or more locations using a 3-way dimmer or multilocation dimmer.



Multi-Location With Smart Gateway

Control the lights from multiple locations with a wired switch, Smart Gateway and wireless switch.



LED Dimmers

Thanks to innate energy-efficiency and longevity, LED technology is the hero of modern dimming. Legrand provides control that's tailored to both the needs and advantages of LED lighting through our range of easy and reliable LED/CFL (120V) dimmers, available across six user-friendly interfaces.

NEW				NEW	NEW
Toggle Slide LED Advanced Dimmer <i>TSDL153PW</i>	Wide Slide LED/CFL Pre-Set Dimmer <i>WSCL453PW</i>	Long Slide LED/CFL Pre-Set Dimmer <i>LSCL453PW</i>	Deco Rotary LED/CFL Dimmer <i>DRCL453PW</i>	radiant® LED Advanced Dimmer <i>RHL153PW</i>	adorne® Paddle LED Advanced Dimmer <i>ADPD153LW2</i>

- Works with dimmable LED bulbs and fixtures between 150W and 450W
- Also compatible with dimmable INC/CFL bulbs
- No neutral connection required

- Simple dimming range calibration
- Preset, Single Pole, & 3-way models available
- Not intended for ELV, MLV, 0-10V load types

Colors

White	Ivory	Light Almond	Gray	Brown	Black
Nickel	Dark Bronze	Graphite	Magnesium	Red	Tri-Color




0-10V LED Dimmers

Controlling the light level of compatible fixtures through DC voltage, 0-10V Dimmers can offer the simplest and smoothest lighting control experience with plenty of energy-saving potential. Available models feature multiple interfaces, including three unique designer options from the *adorne®* Collection.


					
Toggle Slide 0-10V Dimmer <i>TSD4FBL3PW</i>	Wide Slide 0-10V Dimmer <i>WS4FBL3PW</i>	radiant® 0-10V Dimmer <i>RH4FBL3PW</i>	adorne® 0-10V Paddle Dimmer <i>ADPD4FBL3P2W4</i>	adorne® 0-10V sofTap Dimmer <i>ADTP4FBL3PW4</i>	adorne® 0-10V Touch Dimmer <i>ADTH4FBL3PW4</i>

- Used specifically for control of any 0-10V dimmable LED fixture or driver (works with 0-10V fluorescent as well)
- Common in both commercial and residential lighting fixtures
- Control up to 30 dimmable 0-10V fixtures per dimmer

Colors



White



Ivory



Light Almond



Gray



Brown



Black



Nickel



Dark Bronze



Graphite



Magnesium



Red



Tri-Color



Tru-Universal Dimmers

Devised to take the guesswork out of compatibility and the flicker out of performance, Legrand's Tru-Universal Dimmers self-calibrate to work with virtually any 120V dimmable bulb or fixture (excludes 0-10V). Usable with LED, fluorescent, incandescent, MLV and ELV loads, as well as for forward- and reverse-phase dimming, the only decision required is which interface to choose.

				
Toggle Slide Tru-Universal Dimmer <i>TSD703PTUW</i>	radiant® Tru-Universal Dimmer <i>RH703PTUW</i>	adorne® softTap Tru-Universal Dimmer <i>ADTP703TUW4</i>	adorne® Touch Tru-Universal Dimmer <i>ADTH703TUW4</i>	adorne® Whisper Tru-Universal Dimmer <i>ADWR703TUW4</i>

- Simplicity at its best: works with nearly any forward-phase or reverse-phase LED bulb or fixture
- Auto-calibration of dimming range for less installation steps
- Rated for up to 450W of LED lighting
- Neutral wire required


Colors

					
White	Ivory	Light Almond	Gray	Brown	Black
					
Nickel	Dark Bronze	Graphite	Magnesium	Red	Tri-Color



Smart Lighting with Netatmo

Taking features and flexibility to another level, Smart Lighting with Netatmo grants advanced control of lights and power from anywhere. The Smart Gateway establishes a dedicated network to control the home's compatible smart devices, and an intuitive app simplifies control of lighting scenes and schedules, energy use and more. Smart Lighting with Netatmo is easily compatible with other smart products and offers ultra-reliable performance.



Smart Gateway



**CAN SUPPORT UP TO
98 SMART DEVICES**




Smart Lighting Easy Kits

- Conveniently add a dimmer or switch exactly where it's needed without running wires
- Add a Smart Gateway with Netatmo to control lights via app, connect to other smart products and more

Easy 3-Way Switch Kit, White WNREZK10WH	Easy 3-Way Dimmer Kit, White WNREZK50WH	Easy Switched Outlet Kit, White WNREZK15WH

Smart Gateways with Netatmo

Creating an ultra-reliable mesh network that strengthens with every device added, just one Smart Gateway (in-wall or surface-mount) can support up to 98 smart switches, dimmers and outlets in a single installation. Mix and match smart devices from both the *adorne*® and *radiant*® Collections to create a perfectly personalized whole-home solution.

			
radiant® WNRH1WH	radiant® Surface-Mount WNRH2WH	adorne® WNAH1W1	adorne® Surface-Mount WNAH2W1

Smart Tru-Universal Dimmers with Netatmo

Leading smart home technology and versatile dimming compatibility converge in our selection of Smart Tru-Universal Dimmers with Netatmo.

Available from both designer Collections, as well as in a convenient Plug-In version for smart control of dimmable floor and table lamps.

		
radiant® WNRL50WH	adorne® sofTap WNAL50W1	Plug-In WNP20

Wireless Smart Dimmers with Netatmo

Made for adding 3-way control anywhere and everywhere it's wanted, these wireless smart dimmers mount to a wall or surface with provided adhesive – no wiring, no cutting, no tools required. Must be paired with a Smart Tru-Universal Dimmer with Netatmo.

	
radiant® WNRL63WH	adorne® WNAL63W1

Colors

The *adorne*® Collection offers three device colors and over 30 wall plate color and finish options

White (W) Magnesium (M) Graphite (G)

The *radiant*® Collection offers three device colors with matching wall plates included

White (WH) Light Almond (LA) Nickel (NI)

radiant® with Netatmo Color Change Kits offer additional color options - Black, Dark Bronze, Graphite, Gray, Ivory and Brown.





Sensors and Timers

Saving energy is easiest when the lights turn off on their own. So whether it's auto on/off (occupancy sensors), manual on/auto off (vacancy sensors) or manual on/timed off (timers), these lighting controls from Legrand's designer collections offer eco-friendly efficiency, as well as convenience, in style.

					
radiant® Occupancy/ Vacancy Sensors <i>RRW600UTC</i> <i>RRW600VTC</i>	radiant® 4-Button Timer Switch <i>RT2W</i>	Programmable 24-hour Astronomic Timer <i>RTPA24W</i>	adorne® Occupancy/ Vacancy Sensors <i>ASOS32W4</i> <i>ASVS12W4</i>	adorne® Sensor with Incandescent Dimmer <i>ADSM703HW2</i>	adorne® 4-Button Timer Switch <i>ASTM2W2</i>

Sensors can be used to comply with Title 24 efficiency standards.

- Reduce energy waste and cost
- Hands free comfort and safety
- Great for entry ways, closets, pantries and bathrooms

Colors

					
White	Ivory	Light Almond	Gray	Brown	Black
					
Nickel	Dark Bronze	Graphite	Magnesium	Red	Tri-Color



Fan Speed Controls

For those who need to control more than just the lights, Legrand offers fan speed solutions that match the ease, convenience and aesthetics of our other devices. Available in seven attractive interfaces, including options with de-humming for quieter control.

						
Toggle Slide <i>TSDDH163PW</i>	Wide Slide <i>WSDH16W</i> <i>WSSC53PW</i>	Long Slide <i>LSCDLC163PW</i> <i>LSDH16WV</i> <i>LSSC5W</i> <i>LSSC5PW</i>	Deco Rotary <i>DRDH163PW</i> <i>DRSC53PW</i>	Humidity <i>HSWF3W</i> <i>HSWC3W</i>	radiant* <i>RHDH163PW</i>	adorne* <i>AAFN4S16AW4</i>

- Easy access to fan speed controls - no need to reach pull string
- Preset, Single Pole and 3-way models
- Dual dimmer and humidity control options available

Colors

					
White	Ivory	Light Almond	Gray	Brown	Black
					
Nickel	Dark Bronze	Graphite	Magnesium	Red	Tri-Color

Toggle Slide



Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
TSD703PTU*	Tru-Universal Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 450W LED/CFL; 700W ELV/INC/HAL; 500VA MLV; 5.5A EFL	Y
TSDL153P*	LED Advanced Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), White (W)	120V 150W LED 150W CFL/INC	
TSDSSL7AP*	LED SSL7A-Compliant Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 250W LED/CFL; 300W INC/HAL	
TSD4FBL3P*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120/277V (0-10V dimming only) 120V 10A / 277V 5A 0-10V LED/FL	
TSDDH163P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)	120V 1.6A Fan Speed Control	
TSD2KIT*	Interchangeable Faceplate	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), Red (RED), White (W)		

Long Slide



Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
LSCL453P*	LED/CFL/Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), White (W)	120V 450W LED/CFL; 700W INC/HAL	
LSCL450*	LED/CFL/Incandescent Dimmer, Single-Pole, Non-Preset	Black (BK), Brown (-), Gray (GRY), Ivory (I), Light Almond (LA), White (W)	120V 450W LED/CFL; 700W INC/HAL	
LSCLDC163P*	LED/CFL/Incandescent Dimmer with Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 150W LED/CFL; 300W INC/HAL 1.6A Fan Speed Control	
LSDH16*V	Fan Speed Control and De-Hummer, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 1.6A Fan Speed Control	
LSSC5*	Fan Speed Control, Single-Pole, Non-Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 5A Fan Speed Control	
LSSC5P*	Fan Speed Control, Single-Pole/3-way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 5A Fan Speed Control	

Deco Rotary



Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
DRCL453P*	LED/CFL/Incandescent Dimmer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 450W LED/CFL; 700W INC/HAL	
DRDH163P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 1.6A Fan Speed Control	
DRSC53P*V	Fan Speed Control, Single-Pole/3-Way, Continuously Variable, Preset	Black (BK), Brown (-), Ivory (I), Light Almond (LA), White (W)	120V 5A Fan Speed Control	

Wide Slide



Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
WSCL453P*	LED/CFL Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL	
WSCL450*	LED/CFL Dimmer, Single-Pole, Non-Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL	
WS4FBL3P*	0-10V LED/Fluorescent Dimmer with Integrated Power Pack, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
WSSC53P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 5A Fan Speed Control	
WSDH16*	Fan Speed Control and De-Hummer, Single-Pole, Non-Preset	White (W), Tri-Color (TC)	120V 1.6A Fan Speed Control	
WSKIT*	Interchangeable Faceplate (for Non-Preset Devices)	Black (BK), Brown (-)		
WSKITP*	Interchangeable Faceplate	Black (BK), Brown (-), Ivory (I), Light Almond (LA)		

Note: Tri-Color devices ship with interchangeable faceplates in Ivory, Light Almond and White.

Decorator



Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
HSWF3*	Humidity-Based Fan Control, Single-Pole	Light Almond (LA), White (W)	120V 6A Fan Speed Control	
HSWC3*	Humidity-Based Fan Control and Switch, Single-Pole	Light Almond (LA), White (W)	120V 150W LED/CFL; 600W INC/HAL; 400W EFL 6A Fan Speed Control	
RTPA24*	Programmable Timer Switch for Interior and Exterior Lighting and Fan control, Single-Pole/3-Way	White (W), Light Almond (LA), Ivory (I), Black (BK)	120VAC, 60Hz, 1P/3W, 5A (600W) LED, 1/2HP	

Designer the radiant® collection



Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
RH703PTU*	Tru-Universal Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
RHL153P*	LED Advanced Dimmer, Single-Pole/3-Way, Preset	White (W), Light Almond (LA), Ivory (I), Black (BK), Gray (GRY), Brown (-), Red (RED), Nickel (NI), Dark Bronze (DB), Graphite (G)	120V, 150W LED; 150W CFL/INC	
RHL373P*	LED 2-Wire Dimmer, SSL7A Compliant, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 250W LED/CFL; 300W INC/HAL	
RH4FBL3P*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
RRW600V*	Vacancy Sensor, Single-Pole	White (W), Black (BK), Tri-Color (TC)	120V 600W, 1/6 HP	
RRW600U*	Occupancy Sensor, Single-Pole/3-Way	White (W), Black (BK), Bi-Color (BC), Tri-Color (TC)	120V 600W, 1/6 HP	
RT2*	4-Button Timer Switch, Single-Pole/3-Way	Black (BK), Dark Bronze (DB), Ivory (I), Light Almond (LA), Nickel (NI), White (W)	120V 600W, 1/6 HP	Y
RHDH163P*	Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	Bi-Color (BC), White (W), Tri-Color (TC)	120V 1.6A Fan Speed Control	
RHLV703P*	Magnetic Low Voltage Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 700VA MLV	
HCL453PMM*	Multi -Location Master Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V 450W LED/CFL; 700W INC/HAL; 700VA MLV	
HMR*	Multi-Location Remote Dimmer, Single-Pole/3-Way, Preset	White (W), Tri-Color (TC)	120V	
HDH163PMM*	Multi-Location Fan Speed Control and De-Hummer, Single-Pole/3-Way, Preset	White (W)	120V 1.6A Fan Speed Control	Y
RHKIT*	Interchangeable Faceplate	Black (BK), Brown (-), Dark Bronze (DB), Graphite (G), Gray (GRY), Ivory (I), Light Almond (LA), Nickel (NI), Red (RED), White (W)		

Note: Bi-Color devices ship with interchangeable faceplates in Dark Bronze and Nickel.
Tri-Color devices ship with interchangeable faceplates in Ivory, Light Almond and White.

Designer the adorne[®] collection

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
------------------	---------------------	--	--------------------	----------------

PADDLE



PADDLE

ADPD153L*	LED Advanced Dimmer, Single-Pole/3-Way	Magnesium (M2), Graphite (G2), White (W2)	120V 150W LED 150W CFL/INC	
ADPD4FBL3P2*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
AAFN4S16A*	Fan Speed Control and De-Hummer	Magnesium (M2), Graphite (G2), White (W2)	120V 1.6A Fan Speed Control	

SOFTAP



SOFTAP[®]

ADTP703TU*	Tru-Universal Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
ADTP4FBL3P*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	
ASVS12*	Vacancy Sensor (Manual On/Auto Off)	Magnesium (M4), Graphite (G4), White (W4)	120V 600W, 1/6HP	
ASOS32*	Occupancy Sensor (Auto On/Auto Off)	Magnesium (M4), Graphite (G4), White (W4)	120V 600W, 1/6HP	
ADSM703H*	Occupancy Sensor with Incandescent Dimmer (Auto On/Auto Off), 700W	Magnesium (M2), Graphite (G2), White (W2)	120V 700W INC/HAL	
ASTM2*	Timer Switch (Manual On/Timed Off)	Magnesium (M2), Graphite (G2), White (W2)	120V 600W, 1/6HP	

TOUCH



TOUCH

ADTH703TU*	Tru-Universal Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
ADTH4FBL3P*	0-10V LED/Fluorescent Dimmer, Single-Pole/3-Way	Magnesium (M4), Graphite (G4), White (W4)	120/277V (0-10V dimming only) 120V 10A / 277V 5A LED/FL	

WHISPER



WHISPER[®]

ADWR703TU*	Tru-Universal Dimmer	Magnesium (M4), Graphite (G4), White (W4)	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
-------------------	----------------------	---	--	---

Smart the radiant® collection



	Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
Gateway	WNRH1*	Smart Gateway with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
	WNRH2*	Smart Surface-Mount Gateway with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
Primary Devices	WNRL10*	Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	15A, 120V	Y
	WNRL50*	Smart Tru-Universal Dimmer with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V; 450W LED/CFL; 700W INC/ HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
	WNR15*	Smart 15A Outlet with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	15A, 125V	Y
	WNR20*	Smart 20A Outlet with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	20A, 125V	Y
	WNP10	Smart Plug-In Switch with Netatmo	White	120V	
	WNP20	Smart Plug-In Tru-Universal Dimmer with Netatmo	White	120V 450W LED/CFL; 700W INC/ HAL; 500VA MLV; 700W ELV; 5.5A EFL	
Wireless Add-On Devices	WNRL23*	Wireless Remote Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	Battery-operated	
	WNRL63*	Wireless Remote Smart Dimmer with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	Battery-operated	
	WNRL33*	Wireless Home/Away Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	Battery-operated	
	WNRL43*	Wireless Wake/Sleep Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	Battery-operated	
	WNRCB40*	Wireless Smart Scene Controller with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	Battery-operated	
	067695	4-Scene Pocket Remote Controller	Black	Battery-operated	
	064875	Wireless Motion Sensor with Netatmo	White	Battery-operated	
Wired Add-On Devices	WNRL24*	Wired Remote Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
	WNRL64*	Wired Remote Smart Dimmer with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
	WNRL34*	Wired Home/Away Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
	WNRL44*	Wired Wake/Sleep Smart Switch with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y
	WNRCB46*	Wired Smart Scene Controller with Netatmo	Light Almond (LA), Nickel (NI), White (WH)	120V	Y

Smart the radiant® collection

	Base Part Number	Product Description	"Color Designations (Replace * in Part Number)"
Color Change Kits	WNRCB40CKIT*	Smart Scene Controller with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)
	WNRL10CKIT*	Smart Switch with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)
	WNRL23CKIT*	Remote Smart Switch with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)
	WNRL33CKIT*	Smart Home/Away Switch with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)
	WNRL43CKIT*	Smart Wake/Sleep Switch with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)
	WNRL50CKIT*	Smart Dimmer with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)
	WNRL63CKIT*	Remote Smart Dimmer with Netatmo Color Change Kit	Brown, Black (BK), Dark Bronze (DB), Graphite (G), Gray (GY), Ivory (IV), Light Almond (LA), Nickel (NI), White (WH)

Easy Kits

Easy Kits come pre-paired and do not require a gateway for remote control of the wired load. Smart control can be added to these kits with a gateway, if needed.

Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
WNREZK10WH	Easy 3-Way Switch Kit	White	15A, 120V	Y
WNREZK50WH	Easy 3-Way Dimmer Kit	White	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
WNREZK15WH	Easy Switched Outlet Kit	White	15A, 120V	Y

Smart the **adorne**[®] collection



	Base Part Number	Product Description	Color Designations (Replace * in Part Number)	Electrical Ratings	Neutral Needed
Gateway	WNAH1*	Smart Gateway with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
	WNAH2*	Smart Surface-Mount Gateway with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
Primary Devices	WNAL10*	Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	15A, 120V	Y
	WNAL50*	Smart Tru-Universal Dimmer with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V; 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	Y
	WNAR153*	Smart 15A Outlet with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	15A, 125V	
	WNAR203*	Smart 20A Outlet with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	20A, 125V	
	WNP10	Smart Plug-In Switch with Netatmo	White	120V	
	WNP20	Smart Plug-In Tru-Universal Dimmer with Netatmo	White	120V 450W LED/CFL; 700W INC/HAL; 500VA MLV; 700W ELV; 5.5A EFL	
Wireless Add-On Devices	WNAL23*	Wireless Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	Battery-operated	
	WNAL63*	Wireless Smart Dimmer with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	Battery-operated	
	WNAL33*	Wireless Home/Away Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	Battery-operated	
	WNAL43*	Wireless Wake/Sleep Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	Battery-operated	
	WNACB40*	Wireless Smart Scene Controller with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	Battery-operated	
	067695	4-Scene Pocket Remote Controller	Black	Battery-operated	
Wired Add-On Devices	064875	Wireless Motion Sensor with Netatmo	White	Battery-operated	
	WNAL24*	Wired Remote Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
	WNAL64*	Wired Remote Smart Dimmer with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
	WNAL34*	Wired Home/Away Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
	WNAL44*	Wired Wake/Sleep Smart Switch with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y
	WNACB46*	Wired Smart Scene Controller with Netatmo	Magnesium (M1), Graphite (G1), White (W1)	120V	Y

Smart the adorne[®] collection

	Base Part Number	Product Description	"Color Designations (Replace * in Part Number)"
Color Change Kits	WNACB40CKIT*	Smart Scene Controller with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)
	WNAL10CKIT*	Smart Switch with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)
	WNAL23CKIT*	Remote Smart Switch with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)
	WNAL33CKIT*	Smart Home/Away Switch with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)
	WNAL43CKIT*	Smart Wake/Sleep Switch with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)
	WNAL50CKIT*	Smart Dimmer with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)
	WNAL63CKIT*	Remote Smart Dimmer with Netatmo Color Change Kit	Magnesium (M1), Graphite (G1), White (W1)







legrand.us/lightingcontrols



youtube.com/legrand



facebook.com/LegrandNA



instagram.com/legrandna



Electrical Wiring Systems

60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

Canada
1.800.723.5175; 905.738.9195
www.legrand.ca