

DK4 : 4" LED Downlight Kit



project name	type
catalog number	
comments	voltage
approved by	date

9
watts

600
lumens

90+
CRI

2700K-
5000K
CCT

Features

- Ultra-efficient LED Downlight Kit designed to retrofit into existing incandescent recessed downlights
- Integrated LEDs reduce energy consumption up to 80%
- Fits many popular 4" recessed downlight fixtures
- Integrated white aluminum powder coated trim with medium base (E26) for direct replacement
- E26 and GU24 bases included
- Lasts up to 30X longer than traditional incandescent
- Choice of cool white or warm white color temperatures
- Dimmable 10-100%
- Instant-on, no warm-up time

Performance

- 9W 600lm equivalent to 65W BR incandescent
- Long life: 50,000+ hours
- UL Wet Location Listed
- IC rated for use in insulated ceilings
- 2700K/3000K/4000K/5000K CCT
- CRI: >90
- Input voltage: 120V @ 60hz
- ENERGY STAR® Approved

Applications

- Healthcare
- Hospitality
- Office
- Property Management
- Residential
- Retail

Ordering Information

Order Code	Item #	Lm	W	CCT	CRI	Life/Hrs	Replaces Incan.	ENERGY STAR
09677	LED-DK4-9W927-DIM-G7	600	9W	2700K	90+	50,000	65W BR	★
09678	LED-DK4-9W930-DIM-G7	600	9W	3000K	90+	50,000	65W BR	★
09679	LED-DK4-9W940-DIM-G7	600	9W	4000K	90+	50,000	65W BR	★
09680	LED-DK4-9W950-DIM-G7	600	9W	5000K	90+	50,000	65W BR	★

★ ENERGY STAR® Approved




RoHS Compliant




DK4 : 4" LED Downlight Kit

Dimensions



Spectral Flux



watch > like > follow



4" Rotatable LED Downlight Kit



GU24 base E26 base
(included with kit)

11
watts

650
lumens

59
lpw

3000K/
4000K
CCT

features

- Ultra-efficient aimable LED downlight kit designed to retrofit into existing incandescent recessed downlights
- Integrated LEDs reduce energy consumption up to 80%
- Ideal for accent, display, or wall washing
- Fits many popular 4" recessed downlight fixtures
- Integrated white trim with both medium base (E26) and GU24 socket adapters (included) for direct replacement
- Lifetime exceeds 35,000 Hrs.
- Lasts up to 30X longer than traditional incandescent
- Choice of warm white or cool white color temperatures
- Instant-on, no warm-up time
- 30° aimable and 355° rotatable




performance

- 11W 650 lm equivalent to 65 W BR incandescent
- Long life: 35,000+ hours
- 80 CRI
- 120V @ 60hz
- Dimmable 10-100%
- ENERGY STAR® Certified
- UL Damp Location Listed


applications

- Healthcare
- Hospitality
- Office
- Property Management
- Residential
- Retail




4" Rotatable LED Downlight Kit

dimensions



photometrics



ordering information

Order Code	Litespan Part #	Description	Watts	Volts	Lumens	CRI	Life Hours	ES
09083	LED-DK4RT-11W830-DIM-G5	LED Downlight Kit Rotatable Eye 4", 3000K, dimmable, aimable	11	120	650	80	35,000	★
09084	LED-DK4RT-11W840-DIM-G5	LED Downlight Kit Rotatable Eye 4", 4000K, dimmable, aimable	11	120	650	80	35,000	★

★ENERGY STAR™ Approved

watch > like > follow



selection. solutions. simplicity. eiko.com

23220 W. 84th St, Shawnee, KS 66227 · (P) 1.800.852.2217 (F) 1.800.492.8975
Canada: 81 King St, Barrie, ON L4N 6B5 · (P) 1.888.410.8151 (F) 1.888.705.1335